

Section 9

Television

LED Televisions

Satellite Systems

Wall Brackets

Antennas

Antenna Mounts

Wall Plates

Antenna Sockets

Masts

Signal Finders



19 Inch HD/DVD LED TV



Built in DVD Player, High Definition MPEG4 Digital Tuner, LED Panel, Designed for RV use, USB PVR Ready, 12v/240v Specifications:

Resolution: 1366x768 Lines
 Aspect Ratio: 16:9
 Video System: PAL/NTSC
 Connections: 1x HDMI in, 1x CVBS (RCA) in, 1x VGA in, 1x PC Audio in, 1x USB in, 1x 12v in, 1x RF in, 1x Mini Y/Pb/Pr in, 1x Headphone out, 1x CVBS (RCA) Out, 1x Coaxial Audio Out.
 Power Consumption: <30w
 Audio Output: 2x3W L+R
 USB Formats: Picture: JPEG/GIF/PNG/BMP,TIF Video: MPEG-1, MPEG-2, MPEG-4, H.264-HD Audio: MP3/WMA
 DVD Formats: Picture: JPEG, Video: MPEG-1, MPEG-2, Audio: MP3/WMA
 Bracket Mounting: 100mm x 100mm Vesa
 Dimensions: 460x165x275mm Inc Stand
 Dimensions: 460x50x275mm

19 Inch HD/DVD LED TV ~ 7020



22 Inch HD/DVD LED TV



Built in DVD Player, High Definition MPEG4 Digital Tuner, LED Panel, Designed for RV use, USB PVR Ready, 12v/240v Specifications:

Resolution: 1920x1080 Lines
 Aspect Ratio: 16:9
 Video System: PAL/NTSC
 Connections: 1x HDMI in, 1x CVBS (RCA) in, 1x VGA in, 1x PC Audio in, 1x USB in, 1x 12v in, 1x RF in, 1x Mini Y/Pb/Pr in, 1x Headphone out, 1x CVBS (RCA) Out, 1x Coaxial Audio Out.
 Power Consumption: <30w
 Audio Output: 2x3W L+R
 USB Formats: Picture: JPEG/GIF/PNG/BMP,TIF Video: MPEG-1, MPEG-2, MPEG-4, H.264-HD Audio: MP3/WMA
 DVD Formats: Picture: JPEG, Video: MPEG-1, MPEG-2, Audio: MP3/WMA
 Bracket Mounting: 100mm x 100mm Vesa
 Dimensions: 505x155x340mm Inc Stand
 Dimensions: 505x50x340mm

22 Inch HD/DVD LED TV ~ 7021



22 Inch HD LED TV



High Definition MPEG4 Digital Tuner, LED Panel, Designed for RV use. USB PVR Ready. 12v/240v Specifications:

Resolution: 1920x1080 Lines
 Aspect Ratio: 16:9
 Video System: PAL/NTSC
 Connections: 1x HDMI in, 1x CVBS (RCA) in, 1x VGA in, 1x PC Audio in, 1x USB in, 1x 12v in, 1x RF in, 1x Mini Y/Pb/Pr in, 1x Headphone out, 1x CVBS (RCA) Out, 1x Coaxial Audio Out.
 Power Consumption: <30w
 Audio Output: 2x3W L+R
 USB Formats: Picture: JPEG/GIF/PNG/BMP,TIF Video: MPEG-1, MPEG-2, MPEG-4, H.264-HD Audio: MP3/WMA
 Bracket Mounting: 100mm x 100mm Vesa
 Dimensions: 505x155x340mm Inc Stand
 Dimensions: 505x50x340mm

22 Inch HD LED TV ~ 7022



24 Inch HD/DVD LED TV



Built in DVD Player, High Definition MPEG4 Digital Tuner, LED Panel, Designed for RV use, USB PVR Ready, 12v/240v Specifications:

Resolution: 1920x1080 Lines
 Aspect Ratio: 16:9
 Video System: PAL/NTSC
 Connections: 1x HDMI in, 1x CVBS (RCA) in, 1x VGA in, 1x PC Audio in, 1x USB in, 1x 12v in, 1x RF in, 1x Mini Y/Pb/Pr in, 1x Headphone out, 1x CVBS (RCA) Out, 1x Coaxial Audio Out.
 Power Consumption: <30w
 Audio Output: 2x3W L+R
 USB Formats: Picture: JPEG/GIF/PNG/BMP,TIF Video: MPEG-1, MPEG-2, MPEG-4, H.264-HD Audio: MP3/WMA
 DVD Formats: Picture: JPEG, Video: MPEG-1, MPEG-2, Audio: MP3/WMA
 Bracket Mounting: 100mm x 100mm Vesa
 Dimensions: 551x155x382mm Inc Stand
 Dimensions: 551x50x382mm

24 Inch HD/DVD LED TV ~ 7023

Satking Satellite plus Vast System

LCD Bracket T/S 19" -23"



V.A.S.T Australian High Definition Television

Get access to all of the free to air channels on the Viewer Access Satellite Television (VAST) platform. This kit includes the high performance Azure Shine 85cm dish which is zinc and powdercoated (great coverage anywhere in Australia), 10.700GHz low noise block (LNB) which receives the reflected signal from the dish, choice of roof mount (tin, tile or wall - choose from the options), SatPlus deluxe analog satellite finder (for locating the satellite), acrylic map compass (for location of North), 15 metres of quality RG6 quad shield coaxial cable (this will connect from the dish to the VAST decoder), internal wallplate and plaster bracket, internal RG6 quad shield 2m cable, SatKing DVBS2-800CA VAST CERTIFIED satellite decoder (set top box) - VAST smartcard is included.

Satking Satellite plus Vast System - 7081



Pivot
Cable management
Black colour
Mounting pack included

LCD Bracket T/S 19" - 23"TV -7181

LCD Bracket T/S 19" -23"



For mounting up to 22" LCD Tv's
3 Pivot & Tilt

19"-22" LCD Bracket - 7182

LCD Monitor Wall Bracket with Cable Management



A Steel full motion flat panel mount, fit for 13-27 inch flat panel TVs and offers a max loading of 20kg.

- Steel full motion flat panel mount
 - Fit for 13-27" flat panel TVs
 - Max loading 20kgs
 - VESA 75x75, 100x100
 - Tilt -15°/+15°, Swivel 60°, Rotation 360°
 - Distance to the wall: 80mm
- Steel material and cable management system
 - Easy and fast installation
 - Built in spirit level

LCD Wall Bracket - 7101


LCD Monitor Swing Arm Wall Bracket with Two Slide-In Locking Plates



- An adjustable LCD screen wall bracket, which you can tilt and swivel to get the best possible viewing angle. The industry standard VESA mount supports most LCD screens between 13-27", with a weight up to 15kg. A second wall bracket is supplied so you can easily relocate the TV from inside to the outside (or another room) of your caravan. Supplied with spirit level and mounting hardware.
- Tilt angle: +55 degrees up to -35 degrees down
 - Swivel angle: 180 degrees left & right
 - Max. weight: 15kg (33lbs)
 - VESA mounting system: 75x75, 100x100
 - Extends up to 382mm from wall
 - Wall bracket dimensions: 158(H) x 66(W)mm

Wall Mount Swing Arm - 7103

Explorer Nomad C4 Antenna



The kit comes complete with

- 7 metres of low loss cable terminated and ready to use including weather boots.
- 12 volt plug pack
- 1 meter short lead for internal use
- VHF/UHF Antenna
- Amplifier
- "Thru-the-Wall" connection system. Full Instructions
- Technical support
- DC 12 volt supply
- 1 metre fly lead for use with TV set.

Warranty:
3 year warranty subject to proving ownership and on product being used as per instruction manual which comes with the product.
Technical Support:
Free 1800 number will be provided for technical support which is for the life of the product.

Explorer C4 Antenna - 7195

Sensar FreeVision HV Antenna



(Head also sold separately)

Collects vertical and horizontal signals that covers all Australian Transmitter styles.

- Includes:
- 1 x Winegard Sensar FreeVision HV antenna.
 - 1 x Hardware kit / Fasteners.
 - 1 x Power Supply.
 - 1 x 6.1m Coaxial Cable.
 - 1 x 1.4cm Coaxial Cable.
- Receives Standard and HD digital signals
Receives Analogue
Range 144km

Winegard Sensar FreeVision Single - 7197
Winegard Sensar FreeVision Bulk (4 Pack) - 7197B
Retrofit Head - 7198



T Bar Antenna



It tunes to both horizontal and vertical polarised signal and can pick up UHF/VHF TV and FM radio reception. Will pick up digital signals.

T Bar Antenna - 7210

Saturn Omni 3000 Antenna



- Fringe Range OR Long Range antenna
- * Omni directional
- * Powerful Amplifier
- * UHF and VHF reception in both horizontal and vertical planes
- * 240/14 volt dc power adaptor OR 12volt power injector
- * 5mts OR 10mt digital cable and fittings
- * Digital ready

Saturn Omni 3000 Antenna - 7215


Exterior TV Recepticle



Weatherproof Park TV Hookup with 75 OHM "F" style connector on each side. White

Exterior TV Recepticle - 7225

Thru the Wall Coax Cable Connection



Waterproof Rubber Cap
Suitable for wall thickness 22mm - 35mm
Internal wall plate 78mm x 33mm
Thru the Wall Coax Cable Connection - 7226

Travellers Mate Saturn Omni TV Antenna



The easiest caravan antenna to use for the caravan, motorhome or RV

- SPECIFICATIONS:**
- Amplified UHF - 470-694MHz - 35dB gain
 - Amplified VHF - 64-230MHz - 28dB gain
 - 415mm x 318mm x 220mm high (above roof)
 - Weight: 1.04kg
 - Colour White
 - Current Draw @ 12V Less than 100mA
 - Dimensions HxWxD (mm) 220mm H x 415mm x 318mm
 - Frequency UHF - VHF
 - Gain 35dB
 - Polarisation - Horizontal
 - Weight 1Kg
 - Features:
 - Multi-directional
 - Digital ready
 - Powerful Amplifier- 34dB UHF and VHF TV reception
 - 240/14 volt dc power adaptor & 12volt power injector
 - 5mts digital cable and fittings

TravellersMateSaturn Omni - 7240



RS-3000 RoadStar Antenna



AVAILABLE IN BLACK OR WHITE



This sleek, compact antenna delivers powerful performance with 360° signal reception and can receive all VHF/UHF/FM frequencies while parked. No hand cranking or aiming, the RoadStar antenna is always ready for viewing.

White - 7254

Black - 7256



Rayzar Antenna

RAYZAR Thin
The Rayzar Amped features a 0.43 millimeter ultra thin antenna element.

The Rayzar is super light too at just 9.6 ounces and has a small footprint of 13 x 12 inches.



The Rayzar Amped is perfect for Pop-up Campers, RVs, Trucking and more!

Extra long coax allows for optimal placement.

Quick release suction cup clips make adjustments a breeze

WINEGARD
RAYZAR



Rayzar Antenna - 7258



Sensor IV Antenna with Integrated Wingman
The Ultimate TV Antenna in the RV Market!



Spare Replacement Head




Most Popular - As the #1 choice for OEMs, distributors, retailers and consumers for over 25 years, the Winegard Sensor is the #1 Antenna in the RV industry.

Sensor IV Antenna Single - 7263

Sensor IV Antenna Bulk (4 Pack) - 7263B



Wingman NZ-WING UHF Add-On



- Features**
- Optimizes Sensor for DTV channels
 - Increases UHF performance up to 100%
 - FREE Digital Programming
 - Attaches to existing Sensor head
 - Installs in minutes - no tools required

Wingman NZ- 7290

Explorer 4" Draw Bar Mount



Explorer 4" Draw Bar Mount - 7262

4" Mast Clamp



Clamps to the caravan A-frame for mounting your antenna pole providing support for the mast Suits 4" A Frames.

Mast Clamp - 7270

XL 6" Mast Clamp



For larger A frames this 6 inch mast clamp will easily attach to fit your antenna pole. Suits 6" A Frames.

XL Mast Clamp - 7270XL



Directional Handle Kit



Winegard Directional Handle Kit - 7271



Elevated Tubes



Pair

Winegard Elevated Tubes - 7272



Spring



Winegard Spring - 7273



Elevation Gear



Winegard Elevation Gear - 7274



Gear Housing



Winegard Gear Housing - 7276



Wall Plate Power Supply



Provides +12VDC to antenna and =12 volt receptacle as well as antenna signals to two TV sets.

Winegard Wall Plate Power Supply - 7277



Replacement Handle



In Blister Pack

Winegard Replacement Handle - 7279



Cable Accessory Pack



Winegard Cable Accessory Pack - 7281

Explorer 6" Draw Bar Mount



Explorer 6" Draw Bar Mount - 7283

Aluminium Pole 1.8m - 3.6m



Heavy duty aluminium extension pole with ring release at 100mm increments. Extends from 1.8m to 3.6m

Aluminium Pole 1.8m - 3.6m - 7284

Handle Extension



Winegard Handle Extension - 7285

Install Kit For Winegard Sensor



Winegard Install Kit - 7286

Worm Gear



Worm Gear and 12.25" Elevating Shaft Assembly, Gear Housing Plug, Wave Washer, Flat Washer & Quad Ring

Winegard Worm Gear - 7287



Crank Handle Kit



Winegard Crank Handle Kit - 7289

Explorer Aluminium Telescopic Mast



Explorer Aluminium Telescopic Mast - 7295

Aluminium Aerial Pole 1.8m - 3.6m



Telescopic. 2 section. Aluminium camlock action. Lightweight and compact. These masts extend to 3.65 metres and compact to 1.83 metres.

3.6m - 7310



Sensor Pro TV Signal Meter



TV SIGNAL METER

Displays signal strength of channels and allows you to peak in signals prior to channel scan on your TV.

Winegard Sensor Pro Signal Meter - 7312

Flushmount Wall Socket - Female



Standard power point size 71mmW x 115mmH

Flushmount Wall Socket - Female - 7315

Splitter - Indoor (2 Way)



This device will allow for more than one TV/Video/DVD etc., operate from your single aerial outlet.

Splitter - Indoor (2 Way) - 7318

Cable TV Hookup Plate



This Cable TV Hookup Plate is UV stable, fade and water resistant, and easy to install.

Cable TV Hookup Plate - 7325

Flushmount Wall Socket - Male



Standard power point size 71mmW x 115mmH

Flushmount Wall Socket - Male - 7330

TV Floor Socket



Usually mounts on to the skirting board of the floor

TV Floor Socket - 7335

Masthead Amplifier



'F' Type UHF/VHF masthead amplifier with power supply.

Masthead Amplifier - 7340

Caravan Antenna & Power Wallplate



Includes weather resistant car accessory socket and back to back F antenna connector. Ideal for caravans and RV's.

Caravan Antenna & Power Wallplate - 7343


Antenna Plate with Cigarette Lighter Socket



Cigarette socket with antenna hook up on panel.

Antenna Plate with Cigarette Lighter Socket - 7345

Coax Floor Socket



Coax Floor Socket - 7350

Clipsal RF Socket



Clipsal RF Socket - 7351

Australian RV TV Socket



TV Socket White - 7352
TV Socket Black - 7353

Replacement Power Supply For Masthead Amplifiers



F socket power injector Includes F-59 male-male adaptor.. Available in
17.5V AC @ 100mA
or
14V DC @ 150mA
17.5V AC - 7355
14V DC - 7366



JACK® Digital HDTV Antenna + Mount with SureLock™ DTV Signal Meter

Roof Mount Over-The-Air Antenna



Wider reception range
Greatly improved UHF Reception
Built-in Amplifier
Easy to Install
Effortless Antenna Rotation
Built-in Digital TV Signal Meter
No Crank Handle
Compact, Aerodynamic Design
Full 360 degree rotation
Designed for the New Digital Signal

Available in Black or White

White 7380
Black 7381
Replacement Head - 7382

Happy Wanderer TV Signal Finder



This unit has a scale of WEAK to STRONG with LED lights coming on as the stronger signal is found. You simply swing antenna 360 degree & in horizontal & vertical mode & find the best strongest reading.

Happy Wanderer TV Signal Finder - 7370

KING Digital TV Signal Finder



The SureLock simplifies over-the-air antenna pointing and takes the guesswork out of finding the local broadcast channels, especially in rural areas where the TV signals are not as strong.

Digital TV Signal Finder - 7375